


*Le***PORCE**

2024



***ART OF
HEATING***

Index

About Us	02
Designer Radiator	
Rome	04-07
Milan	08-11
Rio	12-15
London	16-19
Venice	20-23
Polo	24-27
Berlin	28-31
Madrid	32-35
Towel Rails	
Tokyo	36-43
Lyon	44-47
Oxford	48-51
LA	52-55
York	56-59
Paris	60-63
Radiator Values	64-68

About us


Designer Radiators & Towel Rails

Leporce Limited is a leading importer and stockist of Designer Radiators and Towel Rails. Leporce symbolizes architectural spaces & designs that redefine eternity of style and a sense of fashion. Since its inception, Leporce has constantly upheld the fundamental values of great design and combined them with passion and outstanding craftsmanship.

Our vision is to become a point of reference for all clients and operators of the Radiator and Towel Rail market in the United Kingdom. while our mission is to provide top-quality and high aesthetic Designer Radiator for every use application in residential, commercial and public building projects.

Our team combines diverse capabilities and profiles ranging from radiator designers to technologists to bring ultimate product outcomes to satisfy each customer's desire. United by integrity and a strong commitment to our customers, we intend to offer top-quality products at the lowest possible prices.





Rome

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



White



Anthracite



Black

Layer - Double

Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
RM-600-600	600	590	660	20	3667	1074	4485	1314	£314
RM-600-800	600	767	837	26	4767	1397	5829	1708	£363
RM-600-1000	600	1003	1073	34	6234	1827	7624	2234	£434
RM-600-1200	600	1180	1250	40	7334	2149	8969	2628	£496
RM-600-1400	600	1416	1486	48	8800	2578	10762	3153	£566
RM-600-1600	600	1593	1663	54	9938	2912	12154	3561	£620

Rome

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



White



Anthracite



Black

Layer - Double



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
RM-500-600	500	590	660	20	3107	910	3800	1113	£304
RM-500-800	500	767	837	26	4040	1184	4941	1448	£351
RM-500-1000	500	1003	1073	34	5284	1548	6462	1893	£419
RM-500-1200	500	1180	1250	40	6215	1821	7601	2227	£478
RM-500-1400	500	1416	1486	48	7458	2185	9121	2672	£546
RM-500-1600	500	1593	1663	54	8469	2481	10357	3035	£596

Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
RM-400-600	400	590	660	20	2629	770	3215	942	£296
RM-400-800	400	767	837	26	3423	1003	4186	1227	£340
RM-400-1000	400	1003	1073	34	4475	1311	5472	1603	£405
RM-400-1200	400	1180	1250	40	5258	1541	6431	1884	£461
RM-400-1400	400	1416	1486	48	6295	1844	7698	2256	£526
RM-400-1600	400	1593	1663	54	7180	2104	8781	2573	£575

Rome

White



EN 442

UK
CA

10



Material
Steel



Next Working
Day Delivery



Rome

Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery





Milan



White



Anthracite



Black

Layer - **Double**



CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
ML-1800-300	1800	295	365	10	4423	1296	5409	1585	£369
ML-1800-350	1800	354	424	12	5306	1555	6490	1901	£410
ML-1800-400	1800	413	483	14	6191	1814	7572	2219	£450
ML-1800-500	1800	472	542	16	7075	2073	8652	2535	£477
ML-1800-550	1800	531	601	18	7951	2330	9724	2849	£530
ML-1800-600	1800	590	660	20	8823	2585	10790	3162	£573

Milan



Material
Steel



Next Working
Day Delivery



White



Anthracite



Black

Layer - Double



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
ML-1600-300	1600	295	365	10	3969	1163	4854	1422	£348
ML-1600-350	1600	354	424	12	4763	1396	5825	1707	£367
ML-1600-400	1600	413	483	14	5557	1628	6796	1991	£422
ML-1600-500	1600	472	542	16	6350	1861	7766	2276	£434
ML-1600-550	1600	531	601	18	7142	2093	8734	2559	£485
ML-1600-600	1600	590	660	20	7938	2326	9708	2845	£524

Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
ML-1500-300	1500	295	365	10	3362	985	4112	1205	£343
ML-1500-350	1500	354	424	12	4032	1181	4931	1445	£364
ML-1500-400	1500	413	483	14	4702	1378	5751	1685	£416
ML-1500-500	1500	472	542	16	5372	1574	6570	1925	£431
ML-1500-550	1500	531	601	18	6042	1770	7389	2165	£479
ML-1500-600	1500	590	660	20	6724	1970	8224	2410	£518

Milan

White

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Milan

Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery





Rio



White



Anthracite



Black

Layer - **Double**



Material
Steel



Next Working
Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
Rio-500	1800	500	570	12	4736	1388	5792	1697	£467
Rio-600	1800	618	688	16	8326	2440	10183	2984	£545

Rio

White

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Rio

Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Rio


Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



London

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



- White
- Anthracite
- Black

Layer - Double

Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
LN-600-600	600	612	682	18	3527	1033	4313	1264	£303
LN-600-800	600	816	886	24	4689	1374	5735	1680	£354
LN-600-1000	600	1020	1090	30	5878	1722	7188	2106	£415
LN-600-1200	600	1156	1226	34	6661	1952	8147	2387	£452
LN-600-1400	600	1360	1430	40	7824	2293	9569	2804	£525
LN-600-1600	600	1564	1634	46	9165	2685	11209	3284	£572

London

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



White



Anthracite



Black

Layer - Double



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
LN-500-600	500	612	682	18	2983	874	3648	1069	£290
LN-500-800	500	816	886	24	3969	1163	4854	1422	£337
LN-500-1000	500	1020	1090	30	4980	1459	6091	1785	£393
LN-500-1200	500	1156	1226	34	5637	1652	6895	2020	£427
LN-500-1400	500	1360	1430	40	6623	1941	8100	2373	£487
LN-500-1600	500	1564	1634	46	7609	2230	9306	2727	£540

Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
LN-400-600	400	612	682	18	2515	737	3076	901	£278
LN-400-800	400	816	886	24	3362	985	4112	1205	£322
LN-400-1000	400	1020	1090	30	4209	1233	5148	1508	£374
LN-400-1200	400	1156	1226	34	4740	1389	5797	1699	£405
LN-400-1400	400	1360	1430	40	5612	1644	6864	2011	£462
LN-400-1600	400	1564	1634	46	6484	1900	7930	2324	£510

London

White


CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



London Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery





Venice



White



Anthracite



Black

Layer - Double



Material Steel
 Next Working Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
VN-1800-250	1800	272	342	8	3767	1104	4607	1350	£330
VN-1800-350	1800	340	410	10	4715	1381	5766	1690	£374
VN-1800-400	1800	408	478	12	5669	1661	6933	2031	£409
VN-18-500	1800	456	526	12	6678	1957	8167	2393	£421
VN-1800-500	1800	476	546	14	6611	1937	8085	2369	£447
VN-1800-550	1800	544	614	16	7559	2215	9244	2709	£487
VN-1800-600	1800	612	682	18	8904	2609	10889	3191	£515

Venice

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



White



Anthracite



Black

Layer - Double



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
VN-1600-250	1600	272	342	8	3487	1022	4265	1250	£322
VN-1600-350	1600	340	410	10	4366	1279	5339	1564	£363
VN-1600-400	1600	408	478	12	5249	1538	6420	1881	£396
VN-16-500	1600	456	526	12	5902	1729	7218	2115	£398
VN-1600-500	1600	476	546	14	6122	1794	7487	2194	£432
VN-1600-550	1600	544	614	16	6999	2051	8559	2508	£470
VN-1600-600	1600	612	682	18	7876	2308	9632	2822	£502

Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
VN-1500-250	1500	272	342	8	3230	946	3950	1157	£318
VN-1500-350	1500	340	410	10	4042	1184	4944	1449	£358
VN-1500-400	1500	408	478	12	4860	1424	5944	1742	£390
VN-1500-500	1500	476	546	14	5668	1661	6932	2031	£425
VN-1500-550	1500	544	614	16	6481	1899	7926	2322	£462
VN-1500-600	1500	612	682	18	7260	2127	8879	2602	£497

Venice

White



Next Working Day Delivery



Venice

Black




Material
Steel



Next Working
Day Delivery





Polo



White



Anthracite



Black

Layer - **Double**



Material
Steel



Next Working
Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
PL-500	1800	476	546	14	6615	1938	8090	2370	£431

Polo

White



Next Working Day Delivery



Polo Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Polo

Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery





Berlin



White



Anthracite



Black

Layer - **Single**

E:\LePorce\Client\Le Porce Product Image☒



Material
Steel



Next Working
Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
BR-500	1800	456	526	10	4137	1212	5060	1483	£385

Berlin

White



Next Working Day Delivery



Berlin Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Berlin

Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery





Madrid



White



Anthracite



Black

Layer - **Double**



Material
Steel



Next Working
Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
MD-500	1800	500	570	12	6622	1940	8099	2373	£484
MD-600	1800	618	688	16	8417	2466	10294	3016	£563

Madrid

White



Material
Steel



Next Working
Day Delivery



Madrid

Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Madrid

Black



Material
Steel



Next Working
Day Delivery





Tokyo



Chrome



Material
Steel



Next Working
Day Delivery




Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Dia (mm)	Heat outputs Δt 60°C		Price (Inc VAT)
						BTU	Watt	
Tokyo-1000-400	1000	400	350	18	22	1325	388	£114
Tokyo-1000-500	1000	500	450	18	22	1524	447	£120
Tokyo-1200-400	1200	400	350	21	22	1585	464	£124
Tokyo-1200-500	1200	500	450	21	22	1893	555	£128
Tokyo-1400-400	1400	400	350	24	22	1830	536	£140
Tokyo-1400-500	1400	500	450	24	22	2245	658	£150

Tokyo

Chrome

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery





Tokyo



Brushed
Brass

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Dia (mm)	Heat outputs Δt 60°C		Price (Inc VAT)
						BTU	Watt	
Tokyo-1000-400	1000	400	350	18	22	1325	388	£165
Tokyo-1000-500	1000	500	450	18	22	1524	447	£174
Tokyo-1200-400	1200	400	350	21	22	1585	464	£188
Tokyo-1200-500	1200	500	450	21	22	1893	555	£192
Tokyo-1400-400	1400	400	350	24	22	1830	536	£212
Tokyo-1400-500	1400	500	450	24	22	2245	658	£225

Tokyo

Brushed Brass




Material
Steel



Next Working
Day Delivery





Tokyo



Black



Anthracite



White



Material
Steel



Next Working
Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Dia (mm)	Heat outputs Δt 60°C		Price (Inc VAT)
						BTU	Watt	
Tokyo-1000-400	1000	400	350	18	22	1855	544	£92
Tokyo-1000-500	1000	500	450	18	22	2210	648	£94
Tokyo-1200-400	1200	400	350	21	22	2263	663	£96
Tokyo-1200-500	1200	500	450	21	22	2665	781	£100
Tokyo-1400-400	1400	400	350	24	22	2595	760	£104
Tokyo-1400-500	1400	500	450	24	22	2970	870	£116

Tokyo

White

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Tokyo

Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Tokyo

Black




Material
Steel



Next Working
Day Delivery





Lyon



White



Anthracite



Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Dia (mm)	Heat outputs Δt 60°C		Price (Inc VAT)
						BTU	Watt	
LY-65-400	650	400	350	9	22	865	253	£64
LY-8-400	800	400	350	10	22	1050	308	£70
LY-10-400	1000	400	350	13	22	1484	435	£80
LY-10-500	1000	500	450	13	22	1768	518	£84
LY-10-600	1000	600	550	13	22	1935	567	£90
LY-12-400	1200	400	350	17	22	1810	530	£90
LY-12-500	1200	500	450	17	22	2182	639	£96
LY-12-600	1200	600	550	17	22	2352	689	£102
LY-14-500	1400	500	450	19	22	2376	696	£112
LY-16-400	1600	400	350	22	22	2254	660	£108
LY-16-500	1600	500	450	22	22	2624	769	£116
LY-16-600	1600	600	550	22	22	2852	836	£124

Lyon

White

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Lyon

Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Lyon

Black



Material
Steel



Next Working
Day Delivery



Oxford





 Material Steel
  Next Working Day Delivery



 White
  Anthracite
  Black



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
OX-1200	1200	500	460	17	3069	899	3753	1100	£358
OX-1400	1440	500	460	20	3611	1058	4417	1294	£393
OX-1600	1620	500	460	23	4152	1217	5078	1488	£426

Oxford

White



Material
Steel




Next Working
Day Delivery



Oxford

Anthracite


CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Oxford

Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



LA



White



Anthracite



Black



Material
Steel



Next Working
Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
LA-1000	1050	500	460	13	2537	743	3103	909	£332
LA-1200	1190	500	460	14	2927	858	3580	1049	£346
LA-1400	1400	500	460	17	3513	1029	4296	1259	£387

LA

White



Next Working Day Delivery



LA

Anthracite



Material
Steel



Next Working
Day Delivery



LA

Black




Material
Steel



Next Working
Day Delivery





York



White



Anthracite



Black



Material
Steel



Next Working
Day Delivery



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
YK-1200	1215	500	450	21	3715	1088	4543	1331	£398
YK-1400	1395	500	450	23	4069	1192	4976	1458	£422

York

White



EN 442

UK
CA



Material
Steel



Next Working
Day Delivery



York

Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



York

Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Paris

CE


EN 442

UK CA

10

Material Steel

Next Working Day Delivery



White



Anthracite



Black



Model	Height (MM)	Width (MM)	Centres (MM)	Number of Tubes	Heat outputs Δt 60°C		Heat outputs Δt 70°C		Price (Inc VAT)
					BTU	Watt	BTU	Watt	
PA-1200	1200	500	100	18	1484	435	1815	532	£216

Paris

White



EN 442

UK
CA



Material
Steel



Next Working
Day Delivery



Paris

Anthracite

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Paris


Black

CE | EN 442 | UK CA | 10 | Material Steel | Next Working Day Delivery



Radiator Valves

Chrome



Thermostatic Radiator Valve



Angled Twin Valve Pack
£30 (Inc VAT)



Straight Twin Valve Pack
£30 (Inc VAT)



Corner Twin Valve Pack
£40 (Inc VAT)

Manual Radiator Valve



Angled Valve (Pair)
£22 (Inc VAT)



Straight Valve (Pair)
£22 (Inc VAT)



Corner Valve (Pair)
£32 (Inc VAT)

Radiator Valves

Brushed Brass



Next Working Day Delivery

Thermostatic Radiator Valve



Angled Twin Valve Pack
£56 (Inc VAT)



Straight Twin Valve Pack
£56 (Inc VAT)



Corner Twin Valve Pack
£68 (Inc VAT)

Manual Radiator Valve



Angled Valve (Pair)
£44 (Inc VAT)



Straight Valve (Pair)
£44 (Inc VAT)



Corner Valve (Pair)
£56 (Inc VAT)

Radiator Valves

Anthracite



Material
Brass



Next Working
Day Delivery

Thermostatic Radiator Valve



Angled Twin Valve Pack
£38 (Inc VAT)



Straight Twin Valve Pack
£38 (Inc VAT)



Corner Twin Valve Pack
£50 (Inc VAT)

Manual Radiator Valve



Angled Valve (Pair)
£26 (Inc VAT)



Straight Valve (Pair)
£26 (Inc VAT)



Corner Valve (Pair)
£38 (Inc VAT)

Radiator Valves

Black



Next Working Day Delivery

Thermostatic Radiator Valve



Angled Twin Valve Pack
£38 (Inc VAT)



Straight Twin Valve Pack
£38 (Inc VAT)



Corner Twin Valve Pack
£50 (Inc VAT)

Manual Radiator Valve



Angled Valve (Pair)
£26 (Inc VAT)



Straight Valve (Pair)
£26 (Inc VAT)



Corner Valve (Pair)
£38 (Inc VAT)

Radiator Valves

White



Material
Brass



Next Working
Day Delivery

Thermostatic Radiator Valve



Angled Twin Valve Pack
£38 (Inc VAT)



Straight Twin Valve Pack
£38 (Inc VAT)



Corner Twin Valve Pack
£50 (Inc VAT)

Manual Radiator Valve



Angled Valve (Pair)
£26 (Inc VAT)



Straight Valve (Pair)
£26 (Inc VAT)



Corner Valve (Pair)
£38 (Inc VAT)

 Unit 5, Southbridge Way, Southall - UB2 4BY,
London, United Kingdom.

 info@leporce.com

 +44 (0) 77073 00000

